





WIRING DEVICES  
**GALION**  
— STYLE —  
*Without*  
**BORDERS**



-> CATALOGUE PAGES INSIDE



THE GLOBAL SPECIALIST  
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES





*Perfect*  
— FOR —  
**TRENDY  
INTERIOR  
DESIGNS**






The Galion range of wiring devices is a reflection of contemporary style and functionality designed to marry borderless design with quality and function. **Crafted with excellence, it uses only the best quality components.**

# CONTENTS

- 02-03 ELEGANT DETAILS THAT MAKE THE DIFFERENCE
- 04-05 MINIMALIST DESIGN WITH MAXIMUM FUNCTIONALITY
- 06-07 A GOOD PLACE TO STAY
- 08-09 FEEL JUST LIKE HOME
- 10-11 FINEST QUALITY COMPONENTS & MATERIAL
- 12-13 STRENGTH AND EASY INSTALLATION
- 14-20 CATALOGUE PAGES

ELEGANT  
DETAILS  
*That Make*  
— THE —  
DIFFERENCE



DARK SILVER



WITH ITS FULL PLATE  
AND ITS BORDERLESS  
AESTHETICS GALION  
SUITS ANY INTERIOR  
DESIGN STYLE.




MATT BLACK



CHAMPAGNE



ROSE GOLD



WHITE



Slim and fine chamfering at the edges and a slightly curved plate: these details make the difference for an even more refined product.

The delicate silver or electroplated bar accentuates the modern and exquisite elements of a minimalist design.

minimalist  
**DESIGN**  
WITH  
*Maximum*  
**FUNCTIONALITY**



CONTROL MECHANISMS



16 A single pole switches: 1 and 2-way and from 1 to 4-gang

20 A double pole switch: 2-way with LED power indicator



20 A double pole switch: 1-gang - 1-way with LED and "water heater" marking

16 A push buttons with or without bell marking

LED rotary dimmer

Stepless fan control

45 A double pole switch with red rocker, 1-gang, 1-way

GALION OFFERS A WIDE SELECTION OF FUNCTIONS TO SATISFY THE REQUIREMENTS OF A WIDE RANGE OF PROJECTS.

SOCKET OUTLETS



13 A British standard socket outlet with Type-A USB charger

13 A British standard socket outlet with Type-C USB charger

Euro-US standard socket outlet



13 A 2-gang British standard socket outlet with Type-A and Type-C USB chargers

16 A 2-gang Multistandard socket outlet with Type-A and Type-C USB chargers



TV-R-SAT socket

Television socket "F" type

Double USB Type-A charger

Data sockets: simple and double RJ 45 Cat. 5e and Cat. 6

DATA SOCKET OUTLETS

A  
GOOD  
*Place*  
TO STAY





THE DEDICATED HOSPITALITY FUNCTIONS MAKE GALION A SOLUTION PERFECTLY ADAPTED TO THE NEEDS OF A MODERN GUEST ROOM.



DND/CUR control units for the guest room



Indicator lamp and bell button



Electromechanical or RFID Keycard switches



USB and HDMI sockets



Shaver sockets



1 and 2-gang multistandard socket outlets with USB chargers

The multistandard socket outlets with USB charger combine standard power with the convenience of USB charging: your device plugs straight into the USB port, leaving the standard socket free. No need for bulky adaptors, and no need to compromise on running your other appliances as usual.

Equipped with two different USB charging ports, Type-A and Type-C, 15W. With USB Type-C making its way more and more into phones, tablets, etc. you are sure to be prepared for tomorrow - today.

TYPE-A



TYPE-C



FEEL  
JUST  
LIKE  
*Home*



FEEL JUST LIKE HOME, BUT WITH THE ADDED CONVENIENCE OF HOTEL SERVICES. GALION PROVIDES ALL FUNCTIONS REQUIRED FOR WELL-EQUIPPED AND COMFORTABLE SERVICED APARTMENTS.



The universal dimmer dims and controls dimmable LEDs and CFL, halogen or incandescent lamps. It enables customers to benefit from the entire potential of modern loads, helping them to create cosy interiors.



LED rotary dimmer



13 A 1-gang fused connection unit, with switch and LED power indicator



45 A double pole switch 1-gang - 1-way, with LED and red rocker



45 A cooker unit

**THE ARTEOR ADAPTOR**  
It allows to integrate Arteor mechanisms like automatic switches, skirting lights, sensitive switches etc. for any installation requiring special functions.





legrand

**FINEST**  
*Quality*  
**COMPONENTS  
& MATERIAL**



13A



### RELIABLE PROTECTION

Shutters are encased in fibreglass nylon for reliable protection. Sockets are tested to withstand more than 10 000 operations.



### INCREASED SAFETY

Made from best-in-class fire retardant PC material for greater safety.



### PERFECT CONDUCTIVITY

With a finely-tuned ratio of phosphor bronze and silver-nickel alloy, it is the pinnacle of perfection for electrical conductivity and elasticity.




*Strength*  
AND

**EASY**  
INSTALLATION


**COMPLETE PRODUCT**

1 CATALOGUE NUMBER = 1 READY TO INSTALL PRODUCT FOR QUICK SELECTION




### STRENGTH IN ELEGANCE

A honeycomb design support frame ensures optimum stability and strength.



### CLASSY SIMPLICITY

A soft protective film ensures devices stay neat and tidy during installation.



### EASY INSTALLATION

The new saddle-shaped terminal can fix up to three 4 mm<sup>2</sup> wires. For easy and safe installation.



2 824 00-C3



2 824 02-C



2 824 04-C1



2 824 06-C2



2 824 12

Conform to IEC 60669-1 standard. Polycarbonate front cover plates  
 Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate  
 Dim.: 86 x 88 mm

### Pack Cat.Nos Single pole switches - 16 AX - 250 V~

| Pack | Cat.Nos     | Single pole switches - 16 AX - 250 V~   |
|------|-------------|---|
| 8    | 2 824 00    | <b>1 gang - 1-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 00-C  |   |
| 8    | 2 824 00-C1 |   |
| 8    | 2 824 00-C2 |   |
| 8    | 2 824 00-C3 |   |
| 8    | 2 824 01    | <b>1 gang - 2-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 01-C  |   |
| 8    | 2 824 01-C1 |   |
| 8    | 2 824 01-C2 |   |
| 8    | 2 824 01-C3 |   |
| 8    | 2 824 13    | <b>1 gang - intermediate</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar) |
| 8    | 2 824 13-C  |   |
| 8    | 2 824 13-C1 |   |
| 8    | 2 824 13-C2 |   |
| 8    | 2 824 13-C3 |   |
| 8    | 2 824 02    | <b>2 gang - 1-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 02-C  |   |
| 8    | 2 824 02-C1 |   |
| 8    | 2 824 02-C2 |   |
| 8    | 2 824 02-C3 |   |
| 8    | 2 824 03    | <b>2 gang - 2-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 03-C  |   |
| 8    | 2 824 03-C1 |   |
| 8    | 2 824 03-C2 |   |
| 8    | 2 824 03-C3 |   |
| 8    | 2 824 04    | <b>3 gang - 1-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 04-C  |   |
| 8    | 2 824 04-C1 |   |
| 8    | 2 824 04-C2 |   |
| 8    | 2 824 04-C3 |   |
| 8    | 2 824 05    | <b>3 gang - 2-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 05-C  |   |
| 8    | 2 824 05-C1 |   |
| 8    | 2 824 05-C2 |   |
| 8    | 2 824 05-C3 |   |
| 8    | 2 824 06    | <b>4 gang - 1-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 06-C  |   |
| 8    | 2 824 06-C1 |   |
| 8    | 2 824 06-C2 |   |
| 8    | 2 824 06-C3 |   |
| 8    | 2 824 07    | <b>4 gang - 2-way</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)        |
| 8    | 2 824 07-C  |   |
| 8    | 2 824 07-C1 |   |
| 8    | 2 824 07-C2 |   |
| 8    | 2 824 07-C3 |   |

### Pack Cat.Nos Double pole switches 20 A - 250 V~

| Pack | Cat.Nos     | Double pole switches 20 A - 250 V~   |
|------|-------------|--|
|      |             | With amber LED power indicator   |
| 8    | 2 824 08    | <b>1 gang - 1-way - with earth link connector</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)                               |
| 8    | 2 824 08-C  |  |
| 8    | 2 824 08-C1 |  |
| 8    | 2 824 08-C2 |  |
| 8    | 2 824 08-C3 |  |
| 8    | 2 824 14    | <b>1 gang - 1-way - with "water heater" marking - with earth link connector</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar) |
| 8    | 2 824 14-C  |  |
| 8    | 2 824 14-C1 |  |
| 8    | 2 824 14-C2 |  |
| 8    | 2 824 14-C3 |  |
| 8    | 2 824 12    | <b>1 gang - 2-way - with earth link connector</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)                               |
| 8    | 2 824 12-C  |  |
| 8    | 2 824 12-C1 |  |
| 8    | 2 824 12-C2 |  |
| 8    | 2 824 12-C3 |  |
|      |             | <b>Push-buttons 16 A - 250 V~</b>  |
| 8    | 2 824 11    | <b>1 gang - with "bell" marking</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)   |
| 8    | 2 824 11-C  |  |
| 8    | 2 824 11-C1 |  |
| 8    | 2 824 11-C2 |  |
| 8    | 2 824 11-C3 |  |
| 8    | 2 824 10    | <b>1 gang - without marking</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)   |
| 8    | 2 824 10-C  |  |
| 8    | 2 824 10-C1 |  |
| 8    | 2 824 10-C2 |  |
| 8    | 2 824 10-C3 |  |
| 8    | 2 824 91    | <b>2 gang - without marking</b><br><br>○ White (Silver bar)<br>● Matt Black (Electroplate bar)<br>● Rose Gold (Electroplate bar)<br>● Champagne (Silver bar)<br>● Dark Silver (Silver bar)   |
| 8    | 2 824 91-C  |  |
| 8    | 2 824 91-C1 |  |
| 8    | 2 824 91-C2 |  |
| 8    | 2 824 91-C3 |  |



# Galion™

## double pole switches 45 A, cooker units, dimmers, active compensator and fan controls



2 824 27-C



2 824 25



2 824 19-C1



2 824 90

Conform to IEC 60669-1 standard. Polycarbonate front cover plates  
Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate  
Dim.: 86 x 88 mm

| Pack | Cat.Nos     | Double pole switches 45 A - 250 V~  |
|------|-------------|---|
|      |             | With red LED power indicator  |
| 8    | 2 824 26    | <b>1 gang - 1-way</b><br><ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 26-C  |   |
| 8    | 2 824 26-C1 |   |
| 8    | 2 824 26-C2 |   |
| 8    | 2 824 26-C3 |   |
| 8    | 2 824 27    | <b>1 gang - 1-way with red rocker</b><br><ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>                                 |
| 8    | 2 824 27-C  |   |
| 8    | 2 824 27-C1 |   |
| 8    | 2 824 27-C2 |   |
| 8    | 2 824 27-C3 |   |
| 8    | 2 824 28    | <b>1 gang - 1-way with "cooker" marking - with red rocker</b><br><ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>         |
| 8    | 2 824 28-C  |   |
| 8    | 2 824 28-C1 |   |
| 8    | 2 824 28-C2 |   |
| 8    | 2 824 28-C3 |   |
| 8    | 2 824 29    | <b>2 gang (vertical) - 1-way with red rocker</b><br>Dim.: 86 x 146 mm<br><ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8    | 2 824 29-C  |   |
| 8    | 2 824 29-C1 |   |
| 8    | 2 824 29-C2 |   |
| 8    | 2 824 29-C3 |   |
|      |             | <b>Cooker units - 250 V~</b>  |
|      |             | Conform to IEC 60884-1 and IEC 60669-1<br>45 A double pole switch + 13 A British Standard<br>switched socket and amber LED power indicators<br>Dim.: 146 x 88 mm  |
| 5    | 2 824 25    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>  |
| 5    | 2 824 25-C  |   |
| 5    | 2 824 25-C1 |   |
| 5    | 2 824 25-C2 |   |
| 5    | 2 824 25-C3 |   |

| Pack | Cat.Nos     | Dimmers  |
|------|-------------|--|
|      |             | 100-240 V~, 50/60 Hz   |
|      |             | <b>Rotary dimmers without neutral 40-500W</b><br>For incandescent and halogen lamps 230V~  |
| 5    | 2 824 20    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 5    | 2 824 20-C  |  |
| 5    | 2 824 20-C1 |  |
| 5    | 2 824 20-C2 |  |
| 5    | 2 824 20-C3 |  |
|      |             | <b>Rotary dimmers without neutral - 300 W RLC+LED</b><br>Conform to IEC 60669-2-1<br>For all types of lamps:<br>- dimmable LEDs: 5 W to 75 W<br>- dimmable compact fluorescent lamps: 5 W to 75 W<br>- halogen with ferromagnetic or electronic transformer: 5 VA to 300 VA<br>- fluorescent tube - ballast: 5 VA to 300 VA<br>- halogen and incandescent 230 V~: 5 W to 300 W |
| 5    | 2 824 19    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 5    | 2 824 19-C  |  |
| 5    | 2 824 19-C1 |  |
| 5    | 2 824 19-C2 |  |
| 5    | 2 824 19-C3 |  |
|      |             | <b>Active compensator</b><br>Makes 2-wire electronic lighting control units without neutral compatible with all commercially-available loads (LED, compact fluorescent, ELV halogen with ferromagnetic or electronic ballast, 230 V halogen, fluorescent tube, incandescent)<br>Consumption: 0.4 W   |
| 1    | 0 401 49    |  |
|      |             | <b>Stepless fan controls</b><br>40-400 VA, 230 V~, 50/60 Hz  |
| 5    | 2 824 90    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 5    | 2 824 90-C  |  |
| 5    | 2 824 90-C1 |  |
| 5    | 2 824 90-C2 |  |
| 5    | 2 824 90-C3 |  |



2 824 32



2 824 33-C



2 824 83



2 824 43

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. All sockets integrate child protection  
 Dim.: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

| Pack | Cat.Nos     | British Standard socket outlets 13 A - 250 V~   |
|------|-------------|---|
| 8    | 2 824 32    | Conform to BS 1363-2<br><b>1 gang single pole - switched</b><br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver                            |
| 8    | 2 824 32-C  |   |
| 8    | 2 824 32-C1 |   |
| 8    | 2 824 32-C2 |   |
| 8    | 2 824 32-C3 |   |
| 8    | 2 824 80    | Conform to BS 1363-2<br><b>1 gang single pole - switched - with LED power indicator</b><br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver |
| 8    | 2 824 80-C  |   |
| 8    | 2 824 80-C1 |   |
| 8    | 2 824 80-C2 |   |
| 8    | 2 824 80-C3 |   |
| 5    | 2 824 33    | Conform to BS 1363-2<br><b>2 gang single pole - switched</b><br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver                            |
| 5    | 2 824 33-C  |   |
| 5    | 2 824 33-C1 |   |
| 5    | 2 824 33-C2 |   |
| 5    | 2 824 33-C3 |   |
| 5    | 2 824 81    | Conform to BS 1363-2<br><b>2 gang single pole - switched - with LED power indicator</b><br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver |
| 5    | 2 824 81-C  |   |
| 5    | 2 824 81-C1 |   |
| 5    | 2 824 81-C2 |   |
| 5    | 2 824 81-C3 |   |

| Pack | Cat.Nos     | British Standard socket outlets 15 A - 250 V~   |
|------|-------------|---|
| 8    | 2 824 37    | Conform to BS 546<br><b>1 gang single pole - switched</b><br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver |
| 8    | 2 824 37-C  |   |
| 8    | 2 824 37-C1 |   |
| 8    | 2 824 37-C2 |   |
| 8    | 2 824 37-C3 |   |
| 8    | 2 824 38    | Conform to BS 546<br><b>1 gang single pole - switched</b><br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver |
| 8    | 2 824 38-C  |   |
| 8    | 2 824 38-C1 |   |
| 8    | 2 824 38-C2 |   |
| 8    | 2 824 38-C3 |   |

| Pack | Cat.Nos     | British Standard socket outlets 13 A - 250 V~ - with USB chargers  |
|------|-------------|--|
| 5    | 2 824 41    | Conform to BS 1363-2<br>Consumption in passive mode < 0.08W<br><b>1 gang single pole - switched, with USB charger Type-A</b><br>2.4 A - 5V <sub>DC</sub> - 12W<br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver           |
| 5    | 2 824 41-C  |  |
| 5    | 2 824 41-C1 |  |
| 5    | 2 824 41-C2 |  |
| 5    | 2 824 41-C3 |  |
| 5    | 2 824 83    | Conform to BS 1363-2<br>Consumption in passive mode < 0.08W<br><b>1 gang single pole - switched, with USB charger Type-C</b><br>3A - 5V <sub>DC</sub> - 15W<br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver              |
| 5    | 2 824 83-C  |  |
| 5    | 2 824 83-C1 |  |
| 5    | 2 824 83-C2 |  |
| 5    | 2 824 83-C3 |  |
| 5    | 2 824 43    | Conform to BS 1363-2<br>Consumption in passive mode < 0.08W<br><b>2 gang single pole - switched, with USB chargers Type-A and Type-C</b><br>3 A - 5V <sub>DC</sub> - 15W<br>○ White<br>● Matt Black<br>● Rose Gold<br>● Champagne<br>● Dark Silver |
| 5    | 2 824 43-C  |  |
| 5    | 2 824 43-C1 |  |
| 5    | 2 824 43-C2 |  |
| 5    | 2 824 43-C3 |  |

# Galion™

## socket outlets, fused connection units and cable outlets



2 824 36



2 824 34-C1



2 824 85



2 824 53



2 824 52-C1

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. All sockets integrate child protection  
Dim.: 86 x 88 mm (1 gang) ; 146 x 88 mm (2 gang)

### Pack Cat.Nos EURO-US standard socket outlet 16A-250 V~

| Pack | Cat.Nos     | 2P+E - 2 gang  |
|------|-------------|--|
| 8    | 2 824 36    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8    | 2 824 36-C  |  |
| 8    | 2 824 36-C1 |  |
| 8    | 2 824 36-C2 |  |
| 8    | 2 824 36-C3 |  |

### Pack Cat.Nos Multistandard socket outlets 16 A - 250 V~

| Pack | Cat.Nos     | 1 gang - switched  |
|------|-------------|--|
| 8    | 2 824 34    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8    | 2 824 34-C  |  |
| 8    | 2 824 34-C1 |  |
| 8    | 2 824 34-C2 |  |
| 8    | 2 824 34-C3 |  |
| 5    | 2 824 35    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5    | 2 824 35-C  |  |
| 5    | 2 824 35-C1 |  |
| 5    | 2 824 35-C2 |  |
| 5    | 2 824 35-C3 |  |

### Pack Cat.Nos Multistandard socket outlets 16 A - 250 V~ - with USB chargers

| Pack | Cat.Nos     | 1 gang - switched, with USB charger Type-A   |
|------|-------------|--|
| 5    | 2 824 42    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5    | 2 824 42-C  |  |
| 5    | 2 824 42-C1 |  |
| 5    | 2 824 42-C2 |  |
| 5    | 2 824 42-C3 |  |
| 5    | 2 824 85    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5    | 2 824 85-C  |  |
| 5    | 2 824 85-C1 |  |
| 5    | 2 824 85-C2 |  |
| 5    | 2 824 85-C3 |  |
| 5    | 2 824 44    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5    | 2 824 44-C  |  |
| 5    | 2 824 44-C1 |  |
| 5    | 2 824 44-C2 |  |
| 5    | 2 824 44-C3 |  |

### Pack Cat.Nos Fused connection units - 13 A

| Pack                      | Cat.Nos     | 1 gang   |
|---------------------------|-------------|--|
| Conform to BS 1363 part 4 |             |  |
| 8                         | 2 824 50    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8                         | 2 824 50-C  |  |
| 8                         | 2 824 50-C1 |  |
| 8                         | 2 824 50-C2 |  |
| 8                         | 2 824 50-C3 |  |
| 8                         | 2 824 51    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8                         | 2 824 51-C  |  |
| 8                         | 2 824 51-C1 |  |
| 8                         | 2 824 51-C2 |  |
| 8                         | 2 824 51-C3 |  |
| 8                         | 2 824 53    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8                         | 2 824 53-C  |  |
| 8                         | 2 824 53-C1 |  |
| 8                         | 2 824 53-C2 |  |
| 8                         | 2 824 53-C3 |  |

### Pack Cat.Nos Cable outlets

| Pack | Cat.Nos     | 1 gang - 45 A  |
|------|-------------|--|
| 8    | 2 824 54    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8    | 2 824 54-C  |  |
| 8    | 2 824 54-C1 |  |
| 8    | 2 824 54-C2 |  |
| 8    | 2 824 54-C3 |  |
| 8    | 2 824 52    | <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8    | 2 824 52-C  |  |
| 8    | 2 824 52-C1 |  |
| 8    | 2 824 52-C2 |  |
| 8    | 2 824 52-C3 |  |

# Galion™

## TV, telephone and data sockets, USB chargers



2 824 57-C



2 824 49-C2



2 824 63-C1



2 824 47

Polycarbonate front cover plates. Supplied with 2 screws M 3.5 for BS boxes  
Supplied complete with plate. Dim.: 86 x 88 mm

| Pack | Cat.Nos     | Television sockets  |
|------|-------------|---|
| 8    | 2 824 57    | <b>Single TV socket, Female</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 57-C  |   |
| 8    | 2 824 57-C1 |   |
| 8    | 2 824 57-C2 |   |
| 8    | 2 824 57-C3 |   |
| 8    | 2 824 49    | <b>Single TV sockets "F" type with screws, star attenuation &lt; 1dB</b><br>SAT: 0 - 2400 MHz<br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 8    | 2 824 49-C  |   |
| 8    | 2 824 49-C1 |   |
| 8    | 2 824 49-C2 |   |
| 8    | 2 824 49-C3 |   |
| 8    | 2 824 59    | <b>TV-R-SAT sockets</b><br>Low attenuation: 1.5 dB<br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>  |
| 8    | 2 824 59-C  |   |
| 8    | 2 824 59-C1 |   |
| 8    | 2 824 59-C2 |   |
| 8    | 2 824 59-C3 |   |
| 8    | 2 824 45    | <b>Telephone sockets</b><br><b>RJ 11 socket</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 45-C  |   |
| 8    | 2 824 45-C1 |   |
| 8    | 2 824 45-C2 |   |
| 8    | 2 824 45-C3 |   |
| 8    | 2 824 46    | <b>Double RJ11 socket</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 46-C  |   |
| 8    | 2 824 46-C1 |   |
| 8    | 2 824 46-C2 |   |
| 8    | 2 824 46-C3 |   |
| 8    | 2 824 60    | <b>Data sockets</b><br><b>RJ 45 Cat. 5e UTP</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 60-C  |   |
| 8    | 2 824 60-C1 |   |
| 8    | 2 824 60-C2 |   |
| 8    | 2 824 60-C3 |   |
| 8    | 2 824 62    | <b>Double RJ 45 Cat. 5e UTP</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 62-C  |   |
| 8    | 2 824 62-C1 |   |
| 8    | 2 824 62-C2 |   |
| 8    | 2 824 62-C3 |   |
| 8    | 2 824 61    | <b>RJ 45 Cat.6 UTP</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>  |
| 8    | 2 824 61-C  |   |
| 8    | 2 824 61-C1 |   |
| 8    | 2 824 61-C2 |   |
| 8    | 2 824 61-C3 |   |
| 8    | 2 824 63    | <b>Double RJ 45 Cat.6 UTP</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 63-C  |   |
| 8    | 2 824 63-C1 |   |
| 8    | 2 824 63-C2 |   |
| 8    | 2 824 63-C3 |   |




















| Pack | Cat.Nos     | Double USB Type-A chargers  |
|------|-------------|---|
| 5    | 2 824 47    | 2.4 A - 5 V <sub>DC</sub> - 12 W<br>Consumption in passive mode < 0.08 W<br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5    | 2 824 47-C  |   |
| 5    | 2 824 47-C1 |   |
| 5    | 2 824 47-C2 |   |
| 5    | 2 824 47-C3 |   |
| 8    | 2 824 48    | <b>USB and HDMI data sockets</b><br> <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 8    | 2 824 48-C  |   |
| 8    | 2 824 48-C1 |   |
| 8    | 2 824 48-C2 |   |
| 8    | 2 824 48-C3 |   |

# Galion™

## hotel equipment



2 824 17



2 824 16








2 824 15-C1



2 824 39-C

Conform to IEC 60669 standard  
 Polycarbonate front cover plates  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 88 mm

| Pack | Cat.Nos     | Hotel guest room indicators   |
|------|-------------|---|
| 1    | 2 824 17    | <p>Enable the guest to inform hotel staff of the room status<br/>                     Two settings are possible:<br/>                     - do not disturb (DND)<br/>                     - please clean-up the room (CUR)</p> <p><b>Indicator lamp and bell button</b><br/>                     Installed in the corridor<br/>                     Double function: call indicator and bell button<br/>                     1 gang, black touch plate</p>  |
| 8    | 2 824 16    | <p><b>DND/CUR control units for guest room</b><br/>                     Installed in the guest room<br/>                     Allow the user to select the desired setting</p>  <ul style="list-style-type: none"> <li>○ White (Silver bar)</li> <li>● Matt Black (Electroplate bar)</li> <li>● Rose Gold (Electroplate bar)</li> <li>● Champagne (Silver bar)</li> <li>● Dark Silver (Silver bar)</li> </ul>   |
| 8    | 2 824 16-C  |   |
| 8    | 2 824 16-C1 |   |
| 8    | 2 824 16-C2 |   |
| 8    | 2 824 16-C3 |   |
| 5    | 2 824 15    | <p><b>Keycard switches - 230 V~ - 16 A</b></p> <p>Supplied with one card</p>  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>   |
| 5    | 2 824 15-C  |   |
| 5    | 2 824 15-C1 |   |
| 5    | 2 824 15-C2 |   |
| 5    | 2 824 15-C3 |   |

| Pack | Cat.Nos     | RFID keycard switches - 230 V~ - 16 A   |
|------|-------------|---|
| 5    | 2 824 18    | <p>Compatible with ISO type contactless keycards</p>  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul>  |
| 5    | 2 824 18-C  |   |
| 5    | 2 824 18-C1 |   |
| 5    | 2 824 18-C2 |   |
| 5    | 2 824 18-C3 |   |
| 1    | 2 824 39    | <p><b>Shaver sockets</b></p> <p>Conform to IEC 61558-2-8<br/>                     115/230 V - 20 VA - 50/60 Hz<br/>                     Power supply: 230 V~ - 50/60 Hz<br/>                     Suitable for use with European, British, Australian, Chinese and US 2-pin plugs<br/>                     Dim: 86 x 146 mm<br/>                     2 outputs</p>  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 1    | 2 824 39-C  |   |
| 1    | 2 824 39-C1 |   |
| 1    | 2 824 39-C2 |   |
| 1    | 2 824 39-C3 |   |




2 824 70-C1




2 824 73-C2 + 2 824 01-C2 + 2 824 02-C2 + 2 824 83-C2





2 824 71-C2


| Pack | Cat.Nos     | Blanking plates  |
|------|-------------|--|
| 15   | 2 824 70    |  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 15   | 2 824 70-C  |  |
| 15   | 2 824 70-C1 |  |
| 15   | 2 824 70-C2 |  |
| 15   | 2 824 70-C3 |  |


**Frames for multi-gang installation**

|    |             |  |
|----|-------------|--|
| 20 | 2 824 72    |  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 20 | 2 824 72-C  |  |
| 20 | 2 824 72-C1 |  |
| 20 | 2 824 72-C2 |  |
| 20 | 2 824 72-C3 |  |

|   |             |  |
|---|-------------|--|
| 5 | 2 824 73    |  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5 | 2 824 73-C  |  |
| 5 | 2 824 73-C1 |  |
| 5 | 2 824 73-C2 |  |
| 5 | 2 824 73-C3 |  |

|   |             |  |
|---|-------------|--|
| 5 | 2 824 74    |  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5 | 2 824 74-C  |  |
| 5 | 2 824 74-C1 |  |
| 5 | 2 824 74-C2 |  |
| 5 | 2 824 74-C3 |  |

|   |             |  |
|---|-------------|--|
| 5 | 2 824 75    |  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 5 | 2 824 75-C  |  |
| 5 | 2 824 75-C1 |  |
| 5 | 2 824 75-C2 |  |
| 5 | 2 824 75-C3 |  |

| Pack | Cat.Nos     | Arteor adaptors  |
|------|-------------|--|
| 15   | 2 824 71    |  <ul style="list-style-type: none"> <li>○ White</li> <li>● Matt Black</li> <li>● Rose Gold</li> <li>● Champagne</li> <li>● Dark Silver</li> </ul> |
| 15   | 2 824 71-C  |  |
| 15   | 2 824 71-C1 |  |
| 15   | 2 824 71-C2 |  |
| 15   | 2 824 71-C3 |  |





FOLLOW  
US ON

@ legrand.com

 youtube.com/user/legrand

 facebook.com/Legrand

 twitter.com/Legrand

 pinterest.com/legrandgroup

 instagram.com/legrandnews



**Head Office**  
and International Department  
87045 Limoges Cedex - France  
Tel: +33(0)5 55 06 87 87  
Fax: +33(0)5 55 06 74 55